

D-Cool Keyboard

The D-Cool is a water-resistant, contaminant proof, full size value keyboard. Its sealed construction makes it great for any environment or application where moisture is a problem and cleaning is necessary. The D-Cool is a backlit keyboard with one LED installed under each key to distribute lighting in dark or low light environments.

Weight:

520.0 g (1.1464 lb.)

Dimensions:

380 mm x 130 mm x 10.0 mm
14.96" x 5.12" x 0.4"

Cable length:

1.83 m (6')

Storage temperature:

-20 °C - 70 °C
-4 °F - 158 °F

Operating temperature:

0 °C - 70 °C
32 °F - 158 °F

Power Consumption:

150mA (full brightness),
50mA (low brightness),
20mA (backlight off)

Composition:

100% Silicone Rubber
PVC Cable
100% Latex free

System requirements:

USB interface
(Not Compatible with PS/2)

Number of keys:

100 US Layout keys with keypad

Warranty period:


One year warranty

*Specifications subject to change
without notice*

Installing Your D-Cool Keyboard:

USB: Attach the keyboard cable to a USB computer port. (You do not have to turn off your computer. There is no software to install.)




Turning Keyboard off or on:

Press and hold two buttons   on the top of keyboard for 5 seconds to turn keyboard off. Press and hold both for 5 more seconds to turn keyboard back on. Use this function for easier cleaning of your D-Cool keyboard.

You can email us at: info@mmimd.com
or call us at: (301) 341-4900
In Europe, contact +31-23-5450185
www.man-machine.com



Using Backlight Function:

- Press Backlight Key  to turn on or off LED's
- Brightness can be increased or decreased with 4 steps (5 levels) by pressing adjustment buttons  

Cleaning Instructions for Waterproof Keyboards and Mice:

- Clean the surface of the keyboard by wiping, brushing, spraying or dipping it. Use only rags, sponges or soft bristle brushes. **DO NOT place the USB connector into the fluid.**
- Either wipe with dry cloth or allow to air dry.

Disinfectants recommended by Man & Machine, Inc.:

- Chlorine based (max 10% solution) - Chlorox, Novalsan, etc.
- Formaldehyde based - Formaldehyde Solution 37%, Vinco Formaldegen, etc.
- Glutaraldehyde based - Aldacide 200, Lysofume, Wavicide, etc.
- Phenol based - Lysol I.C., Beaucoup, Magna Clean, Tek-Trol, etc.
- Alcohol based - Cavicide, Isopropyl Alcohol, Medicide, etc.
- Oxidizing - Hydrogen Peroxide 3% Solution, Lifeguard Series, etc.
- Quaternary Ammonium - Roccal-D, Bacto-Sep, Parvosol, etc.
- Soap and water

DO NOT USE:

- Petroleum based cleaning fluids, such as Gasoline
- Acetone
- Over 10% bleach solutions
- Temperature or pressure sterilization
- Buffing pads or scrubbing pads

*****USE OF PRODUCTS CONTAINING PETROLEUM OR ORGANIC ACID COMPONENTS IS STRICTLY PROHIBITED WITH THIS KEYBOARD. USE OF THESE WILL VOID MANUFACTURERS WARRANTY*****

THESE INSTRUCTIONS AND RECOMMENDATIONS HAVE BEEN PREPARED TO ADVISE THE PROPER METHODS FOR CLEANING YOUR PRODUCT. MAN & MACHINE, INC. OR THE LOCAL DISTRIBUTOR CANNOT ASSUME ANY RESPONSIBILITY FOR THE APPLICATION OF THEM. IF THERE ARE ANY QUESTIONS, PLEASE CONTACT PLACE OF PURCHASE OR MMI PRIOR TO CLEANING.

